

New Jersey Division of AIDS Prevention and Control
Persons Living with HIV/AIDS as of December 31, 2002
Warren County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	14	15	0	.	14	15
AIDS-CD4 Only	30	33	0	.	30	33
HIV Only	48	52	0	.	48	52
-----	-----	---	-----	---	-----	---
Total	92	100	0	.	92	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	69	75	0	.	69	75
5-12	0	0	Black, Not Hispanic	13	14	0	.	13	14
13-19	#	#	Hispanic	8	9	0	.	8	9
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	30	33	-----	-----	---	-----	---	-----	---
40-49	41	45	Total	92	100	0	.	92	100
50+	16	17							
Unk.	0	0							
-----	-----	---							
Total	92	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	18	28	0	0	18	20
Injection drug user (IDU)	17	27	9	33	26	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	18	20
Risk not reported/other***	18	28	9	33	27	30
-----	-----	---	-----	---	-----	---
Total	64	100	27	100	91	100
	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	0	.	#	#
Risk not reported/other***	0	0	0	.	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	0	.	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of December 2002.

** 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of December 31, 2002
Warren County Residents

1. Disease Category	Adult/Adolescent*		Pediatric*		Total	
	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)
PCP	33 (32)	25 (78)	# (50)	# (100)	34 (33)	26 (79)
Other OI w/o PCP	29 (28)	23 (82)	# (50)	# (100)	30 (29)	24 (83)
KS Alone	# #	# #	0 (0)	0 (.)	# (2)	# (100)
No Disease Listed	38 (37)	8 (24)	0 (0)	0 (.)	# #	# #
Total	102 (100)	58 (60)	# (100)	# (100)	104 (100)	60 (61)

2. Age *	Cases %		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	#	1	White, Not Hispanic	79	77	#	50	80	77
5-12	#	1	Black, Not Hispanic	12	12	#	50	13	13
13-19	#	1	Hispanic	9	9	0	0	9	9
20-29	12	12	Other/Unknown	#	2	0	0	#	2
30-39	41	39	-----	-----	---	-----	---	-----	---
40-49	35	34	Total	102	100	#	100	104	100
Over 49	13	13							
Unknown	0	0							
Total	104	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	31	40	0	0	31	31
Injection drug user (IDU)	20	26	9	39	29	29
MSM/IDU	#	5	0	0	#	4
Heterosexual contact	7	9	6	26	13	13
Risk not reported/other***	16	21	8	35	24	24
Total	78	100	23	100	101	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	100	#	100	#	100
Risk not reported/other***	0	0	0	0	0	0
Total	#	100	#	100	#	100

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
AIDS Cases Reported as of December 31, 2002
Warren County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	100%
1985	#	#	100%
1986	#	#	100%
1987	#	#	100%
1988	#	#	100%
1989	#	#	100%
1990	7	7	100%
1991	#	#	100%
1992	8	5	63%
1993	12	7	58%
1994	11	7	64%
1995	#	#	43%
1996	12	5	42%
1997	#	#	20%
1998	#	#	25%
1999	#	#	33%
2000	#	#	25%
2001	#	0	0%
2002	#	0	0%
-----	-----	-----	-----
Total	104	60	58%

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control
HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002
Warren County Residents

1. Age *	Cases	%	2. Race/Ethnicity	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	40	80	0	.	40	82
5-12	#	#	Black, Not Hispanic	7	14	0	.	7	14
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	12	24	Other/Unknown	#	#	#	#	#	#
30-39	21	42	-----	-----	---	-----	---	-----	---
40-49	12	24	Total	50	100	#	#	50	100
Over 49	#	#							
Unknown	0	0							
-----	-----	---							
Total	50	100							

3. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	9	26	0	0	9	18
Injection drug user (IDU)	8	24	5	31	13	26
MSM/IDU	#	#	#	#	#	#
Heterosexual contact	5	15	7	44	12	24
Risk not reported/other***	#	#	#	#	#	#
-----	-----	---	-----	---	-----	---
Total	34	100	16	100	50	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.

** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of December 31, 2002
Warren County Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	#	#	#	#	66	43
AIDS-CD4 Only	#	#	#	#	38	25
HIV Only	50	33	0	0	50	32
-----	-----	---	-----	---	-----	---
Total	151	100	#	#	154	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
Under 5	#	#	White, Not Hispanic	#	#	#	#	120	78
5-12	#	#	Black, Not Hispanic	#	#	#	#	20	13
13-19	#	#	Hispanic	#	#	#	#	11	7
20-29	25	16	Other/Unknown	#	#	0	0	#	#
30-39	65	42	-----	-----	---	-----	---	-----	---
40-49	43	28	Total	151	100	#	#	154	100
Over 49	16	10							
Unknown	0	0							
-----	-----	---							
Total	154	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	40	36	0	0	40	26
Injection drug user (IDU)	28	25	14	36	42	28
MSM/IDU	5	4	0	0	5	3
Heterosexual contact	12	11	13	33	25	17
Risk not reported/other***	27	24	12	31	39	26
-----	-----	---	-----	---	-----	---
Total	112	100	39	100	151	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	#	#	#	#	#	#
Risk not reported/other***	0	0	0	0	0	0
-----	-----	---	-----	---	-----	---
Total	#	#	#	#	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of first HIV+/AIDS diagnosis.

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control
HIV/AIDS Cases Reported as of December 31, 2002
Warren County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis -----	Number of Cases -----	Number Known Dead -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	6	#	#
1986	#	#	#
1987	#	#	#
1988	#	#	#
1989	6	5	83%
1990	10	7	70%
1991	8	#	#
1992	10	8	80%
1993	16	8	50%
1994	15	6	40%
1995	6	#	#
1996	17	5	29%
1997	5	0	0%
1998	12	#	#
1999	12	#	#
2000	9	#	#
2001	7	0	0%
2002	#	#	#
-----	-----	-----	-----
Total	154	62	40%

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.